¥,X




FIG. 1




FIG. 2





FIG. 3



Module Cross-Reference Database (mxrDoc)




FIG. 5

Component Cross-Reference Database (cxrDoc)




FIG. 6

Include Component(s)	X
The following components will be included:	NOTE: The following components are required by the components to the left and will also be included:
target debugging shell banner target shell	floating point show routine C++ symbol demangler target loader
Image size change (bytes)	Size of included components (bytes)
text data bss total	text data bss total
83872 12908 916 97696	331608 21376 25464 368448
OK CS	Cancel Help

FIG. 7





FIG. 8






FIG. 10




FIG. 11





FIG. 12






FIG. 13b




FIG. 14

×		1				
		um allows nrs	Add	<u>></u>	Add Selected	
		Domain Type: Kernel is domain. The Domain colu the one suggested. Compone added to the specified do	Domain	vxKernel	Select All	
	Run Analysis Help	Domain: [vxKernel Domain Type: [Kernel] Add These Components Unresolved Symbols] These components are needed by this domain. The Domain column allows selection of a domain other than the one suggested. Components checked in the Add column will be added to the specified domain.	Component	INCLLINE PAGE POOL LIB	Select None	
	D					в
Autoscale	Analysis to Run Find Missing Components	☐ MySystem101.wpj ☐ UxKernel ☐ MyAppDomain101 ☐ MySharedLibraryDomain101 ☐ MySystemSharedLibraryDomain101				Launch Component Gallery Exclude

FIG. 15




FIG. 16a




FIG. 16b




FIG. 16C




FIG. 17

Autoscale		×
Analysis to Run Remove Deadwood Components 🔻	S 🕶 Run Analysis	
MySystem101.wpj	Pomain: vxKernel	Domain Type: Kernel s domain, based on the list of All checked components will Remove V V V V V V V V V V V V V

FIG. 18